



Dian

Enjoying work, enjoying live



CATALOG
2026



Dian

Enjoying work,
enjoying live.

EXPERIENCE IT FOR YOURSELF.

Thanks to its anatomical design, advanced cushioning, and outstanding shock-absorption capacity, the D'WALK® insole provides added comfort and helps reduce fatigue while walking.

TECHNOLOGY:



D'SEAL PRO®

High-performance waterproof membrane offering excellent breathability and water resistance. Its hydrophobic surface repels liquids while allowing optimal air circulation, promoting the effective release of moisture vapor.



D'WALK®

Textile insole mounted on polyurethane foam and recycled material for maximum comfort, featuring enhanced cushioning, anatomical support, and impact absorption properties to reduce fatigue and improve comfort during prolonged use. Technology registered and patented by Dian.



MAXREACT®

Advanced sole cushioning system that provides a high level of comfort and support in the heel area. Composed of a reactive midsole that absorbs impacts and returns energy, improving stability and reducing fatigue during prolonged use. Technology registered and patented by Dian.



D'DRY®

Fabric with a high level of breathability. Washable material with excellent temperature regulation and durability. Technology registered and patented by Dian.



D'COVER DRY®

Technical microfiber that is breathable and water-repellent. Washable material with great thermal comfort and high durability. Technology patented and registered by Dian.



D'COVER®

Breathable fabric with excellent temperature regulation. Washable and highly durable. Certified under Standard 100 by OEKO-TEX®. Technology registered and patented by Dian.



D'COVER PLUS®

Technical microfiber that is especially breathable with outstanding temperature regulation. Lightweight, washable, and highly durable. Certified under Standard 100 by OEKO-TEX®. Technology registered and patented by Dian.



D'LIGHT®

Ultra-lightweight polyurethane sole, optimized through its design, materials, and rigorous mechanical testing, ensuring functional and long-lasting footwear. Incorporates exclusive technology, registered and patented by Dian.



DYNERGY®

Cushioning system that provides stability while walking and propulsion with each step.

CERTIFICATIONS:



OEKO-TEX®

Technical microfiber fabric with a transparent polyurethane coating and water-repellent finish. Its certification ensures that harmful substances are avoided at all stages of production, guaranteeing safety and respect for health.



ISO 9001:2015

The company's quality management system complies with the requirements of the standard, ensuring efficient, controlled processes focused on customer satisfaction. It certifies that products and services are manufactured in accordance with international quality standards and a continuous improvement approach.



ISO 14001:2015

The company has an environmental management system in accordance with ISO 14001, ensuring rigorous control of environmental impact, responsible use of resources, and proper waste management. This reflects a strong commitment to sustainability and environmental protection throughout the entire product life cycle.



ISO 45001:2018

It certifies that the company complies with ISO 45001 in terms of occupational health and safety. It ensures that preventive measures, safety protocols, and responsible controls are implemented to protect employees' health, minimize occupational risks, and promote safe working environments.



ECOVADIS

It guarantees the company's sustainability performance in accordance with EcoVadis international criteria, assessing environmental, labor and human rights, ethics, and responsible procurement aspects. The rating certifies the organization's commitment to responsible practices and sustainable management throughout the entire value chain.



CSR (Corporate Social Responsibility)

Integration of ethical, social, and environmental principles into its management, promoting responsible practices in labor relations, community impact, and overall corporate behavior.



HCO (Official Carbon Footprint)

This seal certifies the implementation of reduction plans and sustainable measures aimed at lowering CO2 emissions and mitigating their contribution to climate change.



ANTIVIRAL

Certifies a 99% viral reduction according to ISO:21702:2019 for Human Coronavirus 229E.



MyREACH

Certifies that a control of restricted substances for footwear has been carried out according to Annex XVII of the REACH Regulation, ensuring they do not contain substances harmful to health or the environment. Certification property and seal by INESCOP.




ANTIBACTERIAL

Certifies the effectiveness of the antibacterial additive in our footwear according to ISO 16187 with a 99% efficiency rate. The footwear models and/or components are treated with an antibacterial agent that inhibits the growth of the most common bacteria in hospital and food environments. Certification property and seal by INESCOP.



FUNCTIONAL

Thermal comfort with optimal heat regulation and sweat management, correct plantar pressure distribution to prevent injuries, and reduced muscle fatigue during use. Certification property and seal by INESCOP.



COMFORT


Footwear that has achieved favorable results in physical and mechanical comfort performance assessments conducted for use as occupational footwear. The COMFORT mark is owned and certified by INESCOP.

SHOE SIZE EQUIVALENCE CHART:

EU	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
mm.	225	230	235	245	250	255	265	270	275	285	290	295	305	310	315
UK	3,5	4	5	5,5	6,5	7,5	8	9	9,5	10,5	11,5	12	13	13,5	14
US MEN	4,5	5	6	6,5	7,5	8	9	9,5	10,5	11,5	12,5	13	14	14,5	15
US WOMEN	5,5	6	7	7,5	8,5	9,5	10	11	11,5	12,5	13,5	14	15	15,5	16

CORRECT WAY TO MEASURE FOOT LENGTH TO DETERMINE THE PROPER SHOE SIZE:

- Place a sheet of paper on the floor, flush against a wall.
- Position your heel firmly against the wall, keeping your foot flat on the sheet.
- Make sure you are standing upright with your weight evenly distributed.
- Using a pencil or pen, mark the tip of the longest toe, keeping the writing instrument perpendicular (90°) to the paper.
- Measure the distance from the edge of the paper (wall) to the mark using a ruler.
- Record the measurement in centimeters.



FOOTWEAR CARE AND MAINTENANCE.

General cleaning:

- Remove removable insoles and eliminate dust or debris.
- Use neutral soap and a damp cloth to keep materials in good condition.

Machine washing:

- Only for models where this is specifically indicated in the technical data sheet.
- Short cycles, cold or warm water (max. 40 °C).

- Avoid strong spin cycles and abrasive products.
- Use of a laundry bag is recommended to protect the structure.

Drying:

- Air dry naturally, without exposing footwear to direct heat sources (radiators, heaters, or dryers).
- Do not wring or force the shape of the footwear.

Insoles

- Air and clean separately.

FOOTWEAR STANDARDS

EN ISO 20347:2012

Specifies the safety and performance requirements for work footwear not intended for protection against mechanical risks, covering aspects such as slip resistance, energy absorption, and antistatic properties.

OB = Footwear meeting basic requirements for professional use.

01 = Closed back, antistatic, energy absorption in the heel, treaded sole.

02 = Closed back, antistatic, energy absorption in the heel, treaded sole, plus water penetration and absorption resistance.

SRA = Slip-resistant on tiles and water with detergent as a lubricant.

SRC = (SRA+SRB) Slip-resistant on tiles and water with detergent as a lubricant + slip-resistant on steel with glycerin as a lubricant.

WRU = Resistance to water penetration and absorption on the upper.

A = Antistatic.

E = Energy absorption in the heel.

FO = Resistance of the sole to hydrocarbons.

EN ISO 20347:2022

An update to the 2012 standard, specifying the safety, comfort, and performance requirements for work footwear not intended for protection against mechanical risks. It covers essential aspects such as slip resistance on tiles with soap and NaLS, flexibility, breathability, energy absorption, and antistatic properties.

OB = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS.

01 = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS, closed back, antistatic properties, and energy absorption in the heel.

02 = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS, closed back, antistatic properties, energy absorption in the heel, and upper resistance to water penetration and absorption.

SR = Slip resistance on ceramic tiles with glycerin.

A = Antistatic.

E = Energy absorption in the heel.

HI = Footwear offering thermal insulation of the sole to reduce temperature increase (below 22 °C) within less than 30 minutes.

CI = Footwear offering thermal insulation of the sole against cold, limiting temperature decrease (below 10 °C) within less than 30 minutes.

FO = Sole resistance to hydrocarbons.

WPA = Upper resistance to water penetration and absorption.

EN ISO 20345:2022

Standard for safety footwear with protective toe caps, covering aspects such as protection, impact resistance, ergonomics, slip resistance, puncture resistance, and thermal insulation.

SB = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS.

S1 = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, and energy absorption in the heel area.

S2 = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, energy absorption in the heel area, and upper resistance to water penetration and absorption.

S3S = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, energy absorption in the heel area, upper resistance to water penetration and absorption, plus puncture resistance of the non-metallic midsole type PS, and treaded sole.

SC = Toe cap reinforcement abrasion resistance.

SR = Slip resistance on ceramic tile flooring with glycerin.

HI = Footwear offering thermal insulation of the sole to reduce temperature increase (below 22 °C) within less than 30 minutes.

CI = Footwear offering thermal insulation of the sole against cold, limiting temperature decrease (below 10 °C) within less than 30 minutes.

E = Energy absorption in the heel.

FO = Sole resistance to hydrocarbons.

WPA = Upper resistance to water penetration and absorption.



Enjoying work, enjoying life

INDEX



NIMBO

p. 1 HEALTH/CATERING



DUNA

p. 2 HEALTH/CATERING



ALICANTE

p. 3 HEALTH/CATERING



ATLANTA

p. 4 HEALTH/CATERING



ALTEA PLUS

p. 5 HEALTH/CATERING



ALTEA PLUS ESTAMPADO

p. 6 HEALTH



CALPE

p. 7 HEALTH/CATERING



CALPE ESTAMPADO

p. 8 HEALTH



VALENCIA PLUS

p. 9 HEALTH/CATERING



VALENCIA PLUS ESTAMPADO

p. 10 HEALTH



SEUL

p. 11 HEALTH/CATERING



SIENA

p. 12 HEALTH/CATERING



SIENA PERFORADO

p. 13 HEALTH/CATERING



SIENA TEX

p. 14 HEALTH/CATERING



CASUAL

p. 15 HEALTH/CATERING



PREMIER

p. 16 HEALTH/CATERING



MARSELLA

p. 17 HEALTH/CATERING



MARSELLA PLUS

p. 18 CATERING



MILÁN-SCL LISO

p. 19 HEALTH/CATERING



MILÁN-SCL PERFORADO

p. 20 HEALTH/CATERING



FLORENCIA PLUS

p. 21 HEALTH/CATERING



1805-LM

p. 22 HEALTH



1807-LM

p. 23 HEALTH



02-S

p. 24 HEALTH



EVA

p. 25 HEALTH/CATERING



EVA ENJOY

p. 26 HEALTH



EVA PLUS

p. 27 HEALTH/CATERING



EVA SOFT

p. 28 HEALTH/CATERING



EVA ESTAMPADO

p. 29 HEALTH



BEA-L

p. 30 HEALTH





JAVEA
p. 31 HEALTH/CATERING
○ ●



JAVEA ESTAMPADO
p. 32 HEALTH/CATERING
○ ●



MAR
p. 33 HEALTH/CATERING
○ ● ●



MAR PERFORADO
p. 34 HEALTH/CATERING
○ ●



1805-PIEL-A
p. 35 HEALTH
○



NIZA
p. 37 UNIFORM
●



DINAMIC
p. 38 UNIFORM
●



RELAX
p. 39 UNIFORM
●



BERNA
p. 40 UNIFORM
●



FRANCIA
p. 41 UNIFORM
●



SALÓN
p. 42 UNIFORM
●



BAILARINA
p. 43 UNIFORM
●



MARTA
p. 44 UNIFORM
●



CONGRESO
p. 45 UNIFORM
●



GOURMET
p. 46 UNIFORM
●



CAIRO
p. 48 SAFETY
●



AITANA
p. 49 SAFETY
●



SELLA
p. 50 SAFETY
●



CID
p. 51 SAFETY
●



FLEXILE PLUS
p. 52 SAFETY
●



29057 PLUS
p. 53 SAFETY/CATERING
○ ●



TEIDE
p. 54 SAFETY/CATERING
○ ●



EVA PRO
p. 55 SAFETY/CATERING
○ ●



Dian

Enjoying work,
enjoying life.

NIMBO redefines everyday comfort.

Its waterproof upper combines water protection with breathability to help keep feet dry and comfortable.

Its practical easy-on system allows for quick and effortless fitting.

In addition, it features ESD (electrostatic discharge) properties that help ensure the controlled dissipation of static electricity in sensitive environments.

NIMBO

NEW!



COLORS



White



Black



Navy



SIZES

35 - 48

REGULATIONS

CE Certification
EN-ISO-20347:2022+A1:2024

PROTECTION

06+SR+HI+CI (ESD)

Upper: Textile with highly breathable D'Seal Pro® Waterproof membrane.

Insole: D'WALK® cushioned insole made from recycled textile material over dual-component PU foam.

Sole: Dual-component EVA sole, featuring a highly durable main structure and a slip-resistant TPU outsole.



D'Seal Pro®



D'Walk®



CLEANING

Waterproof protection and comfort for demanding workdays.

DUNA



COLORS



White



Black



Matte Black



Navy



Khaki



Camel



Violet*



Fuchsia*



Pink*



Mint*



Taupe



Stone



FUNCTIONAL



COMFORT



STANDARD 100



D'COVER®



D'DRY®



D'WALK®



D'LIGHT®



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

PROTECTION

01+SR+HI+CI+FO

Upper: Technical microfiber D'COVER® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bicomponent PU foam.

Sole: Ultralight, flexible D'LIGHT® with a TPU anti-slip tread.Safety stitching between outsole and upper.

* These models are available in sizes 35 - 43

HI+CI insulation for enhanced thermal comfort.

ALICANTE



COLORS



White



Gray



Light Blue



Pink*



Beige



Navy



Blue



Black



Burgundy



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

O1+SR+F0

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.

* Model in pink color available in sizes 35 - 44



MAXREACT® cushioning for long days.

ATLANTA



COLORS



White



Black



Navy



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

01+SR

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.



Lightweight, flexible and easy to wear.

ALTEA PLUS



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

01+SR

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

High-resistance technical microfiber.

ALTEA PLUS ESTAMPADO



COLOR



White



SIZES
35 - 43

REGULATIONS
CE Certification
EN-ISO-20347:2022

PROTECTION
01+SR

- Upper:** Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.
- Insole:** Cushioned D'WALK® made of recycled textile material over bi-component PU foam.
- Sole:** Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.

STANDARD 100

D'COVER PLUS®

D'DRY®

D'WALK®

D'LIGHT®

CLEANING

Printed design with professional-grade performance.

CALPE



COLORS



SIZES
35 - 48

REGULATIONS
CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
02+SR+F0

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Padded textile material over PU foam, with antibacterial treatment and activated carbon.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.

* Model in pink color available in sizes 35 - 43



Technical comfort for long workdays.

CALPE ESTAMPADO



COLOR



White



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Padded textile material over PU foam, with antibacterial treatment and activated carbon.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'LIGHT®



CLEANING

Professional safety with a distinctive design.

VALENCIA PLUS



COLORS



White



Black



Gray



Navy



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

02+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Padded textile material over PU foam, with antibacterial treatment and activated carbon.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'LIGHT®



CLEANING

Antibacterial and designed for intensive use.

VALENCIA PLUS ESTAMPADO



COLOR



White



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+FO

- Upper:** Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.
- Insole:** Padded textile material over PU foam, with antibacterial treatment and activated carbon.
- Sole:** Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'DRY®



D'LIGHT®



CLEANING

Technical performance with a more distinctive design.

SEUL



COLORS



White



Black



Navy



Beige



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

01+SR

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating and slip-resistant SR. Safety stitching sole-upper.



Lightweight and flexible for active workdays.



35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

ANTIBACTERIAL **ISO 16187**

PROTECTION

01+SR+HI+CI+F0

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D’LIGHT® polyurethane. Safety stitching sole-upper.



D'LIGHT® lightweight technology for demanding workdays.

SIENA PERFORADO



COLORS



White



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+HI+CI+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.

OEKO
TEX®

STANDARD
100



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

More breathability, the same professional comfort.

SIENA TEX



COLORS



White



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+HI+CI+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

Liquid-repellent technical textile.

CASUAL



COLORS



White



Black



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

01+SR+CI

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, and slip-resistant SR EVA. Safety stitching sole-upper.



D'COVER PLUS®



D'DRY®



D'WALK®



CLEANING

Urban style with professional-grade performance.

PREMIER



COLORS



White



Navy



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+CI+HI+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining. Dual closure system.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.

* This model can be used with a hook-and-loop fastening or with laces.



D'COVER®



D'DRY®

Dual fastening for greater versatility.

MARSELLA



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with heel padding to prevent chafing.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



Padded heel for a comfortable fit.

MARSELLA PLUS



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

01+SR+FO

- Upper:**

Technical microfiber D'COVER PLUS® OEKO-TEX® with heel padding to prevent chafing and breathable recycled padded D'DRY® inner lining.
- Insole:**

Cushioned D'WALK® made of recycled textile material over bi-component PU foam.
- Sole:**

Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

Comfort and protection in a traditional design.

MILÁN-SCL LISO



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+F0

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



Antibacterial and designed for intensive use.

MILÁN-SCL PERFORADO



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+HI+CI+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



Enhanced breathability with professional-grade performance.

FLORENCIA PLUS



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347:2022

PROTECTION

O1+SR+F0

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.

STANDARD
100

D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

MAXREACT® for a more responsive stride.

1805-LM



COLOR



White



SIZES
34 - 48

REGULATIONS
CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
01+SR+F0

- Upper:** Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.
- Insole:** Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.
- Sole:** Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



Antibacterial and functional model.

1807-LM



COLOR



White



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

01+SR+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



Breathable, washable and designed for everyday use.

02-S



COLORS



White



Green



Blue



Violet

Separate accessory: Gel insole to improve pressure distribution on the foot, enhancing comfort.



SIZES *

33 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL ISO 16187

PROTECTION

OB+SR+A+E

Upper: SBS polymer material, antibacterial, anatomical, and anti-static.

Planta: Micro-dots for circulation stimulation.

Sole: High slip-resistant with a high coefficient on dry and wet surfaces, featuring grooved treads to facilitate liquid drainage.

* In this model, sizes are available in increments of two consecutive numbers (33-34/35-36/...)



Autoclave washable up to 140°C.

EVA



COLORS



White



Black



Light Blue



Pink*



Naranja



Navy



Blue



Green



Violet



Burdeos



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL ISO 16187

PROTECTION

OB+SR+E

Upper: Ultralight, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.

* Model in pink color available in sizes 35 - 46



Ultralight and anatomical.

EVA ENJOY



COLOR



White



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
OB+SR+E

-
- Upper:** Ultralight, anatomical EVA with antibacterial and antiviral properties.
- Footbed:** Micro-dots for circulation stimulation.
- Insole:** Textile over recycled PU foam, with antibacterial treatment.
- Sole:** Slip-resistant with grooved treads to facilitate liquid drainage.
-



Anatomical and easy to clean.

EVA PLUS



COLORS



White



Black



Blue



Violet



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

-
- Upper:** Ultralight, anatomical EVA with antibacterial and antiviral properties.
- Footbed:** Micro-dots for circulation stimulation.
- Insole:** Textile over recycled PU foam, with antibacterial treatment.
- Sole:** EVA + TPU pads with a cell-pattern design to facilitate liquid drainage.
-



EVA with TPU inserts for enhanced grip.

EVA SOFT



COLORS



White



Black



Green



Pink



Violet



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION OB+SR+E

-
- Upper:** Ultralight, anatomical EVA with antibacterial and antiviral properties.
- Footbed:** Removable PU with high energy return while walking, covered with D'DRY® fabric.
- Sole:** Slip-resistant with grooved treads to facilitate liquid drainage.
-



PU insole with energy return.

EVA ESTAMPADO



COLOR



White



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.



Lightweight EVA with a distinctive design.

BEA-L



COLOR



White



SIZES
34 - 48

REGULATIONS
CE Certification
EN-ISO-20347:2012
ANTIBACTERIAL **ISO 16187**

PROTECTION
01+SRC+FO

- Upper:** Technical microfiber D'COVER® OEKO-TEX® with breathable recycled D'DRY® inner lining.
- Insole:** Cushioned D'WALK® made of recycled textile material over bi-component PU foam.
- Sole:** Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.

STANDARD 100

ANTIBACTERIAL

D'COVER®

D'DRY®

D'WALK®

CLEANING

Sole designed to channel liquids away.

JAVEA



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

OB+A+E+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



Open design with professional-grade performance.

JAVEA ESTAMPADO



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION

OB+A+E+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



Printed design with technical comfort.

MAR



COLORS



White



Black



Fuchsia



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E+WPA+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Anatomically shaped, lined with technical microfiber, featuring a metatarsal bar.

Sole: Bi-component polyurethane and TPU, antibacterial, with a honeycomb-patterned tread for improved grip.



D'COVER®



D'DRY®

Open footwear with enhanced grip.

MAR PERFORADO



COLORS



White



Black



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
OB+SR+E+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Anatomically shaped, lined with technical microfiber, featuring a metatarsal bar.

Sole: Bi-component polyurethane and TPU, antibacterial, with a honeycomb-patterned tread for improved grip.



Honeycomb tread for enhanced grip.

1805-PIEL-A



COLOR



White



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347:2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

SRC+E+OB+WRU

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



D'COVER®



D'DRY®

Lightweight and durable for everyday use.



Dian

Enjoying work,
enjoying life.

NIZA



COLOR



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

02+SR+HI+CI+FO

Upper: Breathable technical microfiber D'COVER® OEKO-TEX® with heel padding to prevent chafing and slipping.

Insole: Cushioned textile over recycled PU foam with antibacterial treatment.

Sole: Polyurethane with grooved treads to facilitate liquid drainage, thermally insulating, antibacterial, and slip-resistant (SR). Safety stitching sole-upper.



D'COVER®



CLEANING

Padded heel to help prevent chafing.

DINAMIC



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
EN-ISO-20347:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
02+SR+FO

- Upper:** Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.
- Insole:** Textile over thermoformed polyurethane foam with antibacterial treatment and activated carbon.
- Sole:** DYNERGY® EVA, highly durable and slip-resistant, featuring a cushioning system for stability and enhanced step propulsion. Safety stitching sole-upper.



DYNERGY® sole for enhanced propulsion and stability.

RELAX



COLOR



Black

**SIZES**

35 - 42

REGULATIONS

CE Certification

EN-ISO-20347:2012ANTIBACTERIAL **ISO 16187****PROTECTION****02+SRA+FO**

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant polyurethane.



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®

Elegant design with all-day comfort.



**OEKO
TEX®**
STANDARD
100



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



D'LIGHT®



CLEANING



02+SR+HI+CI+F0

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR). Safety stitching sole-upper.

40

FRANCIA



COLOR



Black

**SIZES**

39 - 46

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024**PROTECTION****02+SR+HI+CI**

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a thermally insulating EVA structure and slip-resistant SRC. Safety stitching sole-upper.



STANDARD 100



D'COVER PLUS®



D'DRY®



D'LIGHT®



CLEANING

Professional design and technical comfort in a classic style.

SALÓN



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
EN-ISO-20347:2022

PROTECTION
02+SR+HI

-
- Upper:** Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.
- Insole:** Textile over polyurethane foam with antibacterial treatment and activated carbon.
- Sole:** Dual-density polyurethane and TPU, slip-resistant.
-



Slip-resistant and elegant for professional environments.

BAILARINA



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
Categoría II

PROTECTION
SRA

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant TPU.



Lightweight, discreet and slip-resistant.

MARTA



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
Categoría I

PROTECTION

SRA

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant polyurethane.



Comfortable, simple design with a slip-resistant sole.

CONGRESO



COLOR



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+F0

- Upper:** Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.
- Insole:** Textile over polyurethane foam with antibacterial treatment and activated carbon.
- Sole:** Dual-density polyurethane, slip-resistant and antibacterial. Safety stitching sole-upper..



Maximum performance in professional footwear.

GOURMET



COLOR



Black



SIZES

35 - 50

REGULATIONS

CE Certification

EN-ISO-20347:2022+A1:2024

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Dual-density polyurethane, slip-resistant and antibacterial. Safety stitching sole-upper.



Maximum coverage for your everyday needs.

A person's legs are shown from the mid-thigh down to the feet. They are wearing dark grey or black trousers with a visible seam down the side. On their feet are black sneakers with white stitching and a small white logo on the side. The person is standing on a stack of four black tires with a deep tread pattern. The background is a plain, light grey surface.

Dian

Enjoying work,
enjoying life.



Black



CLEANING

48

AITANA



COLOR



Black



SIZES
35 - 47

REGULATIONS
CE Certification
EN-ISO-20345:2022

PROTECTION
S3S+SR+HI+CI+F0

- Upper:** Breathable technical fabric with high-tenacity fibers, highly resistant to abrasion, reinforced toe cap and side, padded ankle collar, and breathable textile D'DRY® inner lining.
- Puntera:** SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.
- Insole:** Cushioned D'WALK® made of textile material over bi-component PU foam.
- Sole:** Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



Robust protection for demanding work environments.

SELLA



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345:2022

PROTECTION

S3S+SR+HI+CI+FO

-
- Upper:** Breathable technical fabric with high-tenacity fibers, highly resistant to abrasion, padded ankle collar, and breathable textile D'DRY® inner lining.
- Puntera:** SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.
- Insole:** Cushioned D'WALK® made of textile material over bi-component PU foam.
- Sole:** Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).
-



Padded collar for enhanced comfort.

A side profile of a black leather safety shoe. The shoe features a thick, light-colored sole with a tread pattern. The upper is made of black leather with visible stitching. A small orange logo with the word 'Dian' is on the side. The laces are black with a textured pattern. The interior lining is a mix of red and black.



**OEKO
TEX®**
**STANDARD
100**



CLEANING



Sole: Ultralight, flexible D’LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).

51

FLEXILE PLUS



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345:2022

PROTECTION

S3S+SR+HI+CI+F0+SC

- Upper:** Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining and neoprene-style ankle collar. Abrasion-resistant toe cap.
- Puntera:** SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.
- Insole:** Cushioned D'WALK® made of textile material over bi-component PU foam.
- Sole:** Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



Neoprene-style collar for an improved fit.

A side profile of a black leather safety shoe. The shoe features a thick, black, treaded sole and a pull tab at the back. A small orange logo is visible on the side. The interior lining is a light-colored, textured material.



CLEANING

53

TEIDE



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345:2022

PROTECTION

SB+SR+A+HI+E+WPA+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining. Adjustable with elastic bands and a foldable strap.

Puntera: SECURITY composite toe cap resistant to 200J.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



STANDARD 100



D'COVER®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

Adjustable heel strap and elastic inserts for a better fit.

EVA PRO



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345:2022
ANTIBACTERIAL **ISO 16187**

PROTECTION

SB+SR+E

Upper: Antibacterial EVA, monocoque design, without perforations.

Toe Cap: SECURITY composite toe cap resistant to 200J.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible, composed of an EVA structure and a rubber tread with slip-resistant SR cell pattern.



Safety EVA, perforation-free.

Dian

Enjoying work,
enjoying life.




At DIAN, we continue to move forward with the same determination that has driven us from the very beginning. Every footwear model we manufacture reflects our commitment to safety, comfort and durability — the pillars that have made us a trusted name among professionals who rely on us every day.

Our team works with high-quality materials, controlled processes and continuous innovation, allowing us to improve with every collection. We know that footwear is an essential tool for well-being and performance at work, which is why we develop solutions tailored to each sector, always with technical rigour and a responsible approach.

We look to the future with ambition and a clear vision. We want to continue growing alongside our customers, expanding our international presence, incorporating more sustainable technologies and raising even further the standards that define us today. This catalogue is only the beginning; the best is yet to come.

Thank you for walking with us!



Together, we continue building trust, step by step.



DIVISION ANATOMICOS, S.L.

C/ Persianas, · 8 Apdo. 145
03630 Sax (Alicante) SPAIN
T. +34 965 475 626 +34 902 929 860
F. +34 966 968 988

dian@dian.es
www.dian.es

